

CALET observations during the first 5 years on the ISS

ISCRA 2021 – MEPhi, Moscow, June 8-10, 2021



CALET
**Calorimetric
Electron
Telescope**

Pier Simone Marrocchesi
University of Siena and INFN Pisa
for the CALET Collaboration






CALET instrument in a nutshell

Field of view: ~ 45 degrees (from the zenith)

Geometrical Factor: $\sim 1,040 \text{ cm}^2\text{sr}$ (for electrons)

Thickness: $30 X_0$, $1.2 \lambda_I$



CHD – Charge Detector


- 2 x 14 plastic scintillating paddles
- single element charge ID from p to Fe and above ($Z = 40$)
- charge resolution $\sim 0.15-0.3 e$

IMC – Imaging Calorimeter

- SciFi + Tungsten absorbers: $3 X_0$ at normal incidence
- 8 x 2 x 448 plastic scintillating fibers (1mm) readout individually
- Tracking ($\sim 0.1^\circ$ angular resolution) + Shower imaging

TASC – Total Absorption Calorimeter $27 X_0$, $1.2 \lambda_I$




- 6 x 2 x 16 lead tungstate (PbWO_4) logs
- Energy resolution: $\sim 2\%$ ($>10\text{GeV}$) for e, γ $\sim 30-35\%$ for p, nuclei
- e/p separation: $\sim 10^{-5}$









Charge Identification with CHD and IMC

Single element identification for p, He and light nuclei is achieved by CHD+IMC charge analysis.



Deviation from Z^2 response is corrected both in CHD and IMC using a core + halo ionization model (Voltz)

Energy Measurement in a wide dynamic range 1-10⁶ MIPs






The linearity was calibrated by using **UV laser irradiation** on ground :

- 1) The linearity is confirmed in the range of 1.4-2.5 %.
- 2) The whole dynamic range is confirmed to cover from 1 MIP to 10⁶ MIPs.


APD-H	APD-L	PD-H	PD-L
1.4%	1.5%	2.5%	2.2%

The correlation between adjacent gain ranges is calibrated by using **in-flight data** in each channel.


APD-H	APD-L	PD-H
APD-L	PD-H	PD-L
0.1%	0.7%	0.1%



Example of energy distribution in one PWO log



The first five years of CALET observations on the ISS




Geometrical Factor:


- $1040 \text{ cm}^2 \text{ sr}$ for electrons, light nuclei
- $1000 \text{ cm}^2 \text{ sr}$ for gamma-rays
- $4000 \text{ cm}^2 \text{ sr}$ for ultra-heavy nuclei

High-energy trigger statistics:

- Operational time > **2000 days**
- Live time fraction > **85%**
- Exposure of HE trigger
~ **$178 \text{ m}^2 \text{ sr day}$**
- HE-gamma point source exposure
~ **$3.5 \text{ m}^2 \text{ day}$** (for Crab, Geminga)




Cosmic-ray all-electron spectrum



- CALET spectrum is consistent with AMS-02 below 1 TeV
- Present measurements cluster into 2 groups:
AMS02 + CALET and **FERMI + DAMPE**
possibly indicating the presence of unkown systematics
- Above 1 TeV CALET observes a **flux reduction** consistent with DAMPE within errors.


Cosmic-ray all-electron spectrum



- CALET spectrum is consistent with AMS-02 below 1 TeV
- Present measurements cluster into 2 groups:
AMS02 + CALET and **FERMI + DAMPE**
possibly indicating the presence of unkown systematics
- Above 1 TeV CALET observes a **flux reduction** consistent with DAMPE within errors.

- CALET observes a suppression of the flux above 1 TeV consistent with DAMPE within errors
- No peak-like structure at 1.4 TeV in CALET measurement irrespective of binning


Cosmic-ray all-electron spectrum



- Search for spectral features above a few TeV
- CALET electron candidate events with $E > \sim 10$ TeV are being studied with dedicated event-by-event analysis
- **footprints** of a possible **nearby source** might be found in this region




Cosmic-ray proton spectrum




2018: CALET confirms proton spectral hardening above a few hundred GeV with a deviation from a single power law at $>3\sigma$

Cosmic-ray proton spectrum





2018: CALET confirms proton spectral hardening above a few hundred GeV with a deviation from a single power law at $>3\sigma$

- Energy ranges 50 GeV – 500 GeV and 1 TeV – 10 TeV can each be fitted with single power laws
- Progressive hardening up to TeV energies
- Smoothly-broken power law fit gives low energy index consistent with AMS-02, but larger change in index and higher break energy



Cosmic-ray proton spectrum




- DAMPE reported a spectral index softening $\Delta\gamma = -0.25 \pm 0.07$ from ~ -2.60 to ~ -2.85 above 10 TeV at $E_{\text{break}} = 13.6^{+4.1}_{-4.8}$ TeV with $\sim 30\%$ error
- DAMPE flux is consistent with AMS-02 and CALET up to 200 GeV. Above, the flux is higher (close to the limit of the systematic error band)

**STAY TUNED FOR CALET UPDATES
AT ICRC 2021 !**

Spectra of cosmic-ray nuclei from C to Fe


Spectra of Carbon – Iron

Oct.13, 2015 – Sep.30, 2020 (for 1818 days)



Spectral hardening of Carbon and Oxygen

Oct.13, 2015 – Oct.31, 2019 (for 1,480 days)



Carbon

$$\begin{aligned}\gamma &= -2.663 \pm 0.014 \\ E_0 &= 215 \pm 54 \text{ GeV}/n \\ \Delta\gamma &= 0.166 \pm 0.042 \quad (4.0\sigma) \\ &\text{with } \chi^2/\text{d.o.f.} = 9.0/8\end{aligned}$$



Phys. Rev. Lett. **125**,
251102 (2020)

Oxygen

$$\begin{aligned}\gamma &= -2.637 \pm 0.009 \\ E_0 &= 264 \pm 53 \text{ GeV}/n \\ \Delta\gamma &= 0.158 \pm 0.053 \quad (3.0\sigma) \\ &\text{with } \chi^2/\text{d.o.f.} = 3.0/8\end{aligned}$$

Iron — analysis (charge selection)


Charge measurement from the two CHD layers



Iron spectrum

Flux $\times E^{2.6}$ vs kinetic energy per nucleon

Jan 1, 2016 – May 2020




Iron Single Power Law fit:

50 GeV/n, 2.0 TeV/n

$\gamma = -2.60 \pm 0.02(\text{stat}) \pm 0.02(\text{sys})$


with $\chi^2/\text{d.o.f.} = 4.2/14$



Iron spectral shape and normalization

AMS-02 Phys. Rev. Lett. **126**, 041104 (2021)

CALET Phys. Rev. Lett. (accepted April 12, 2021)



Flux normalization:

- consistent with ATIC 02 and TRACER at low energy and with CNR and HESS at high energy
- in tension with AMS-02 and SANRIKU (balloon)

Spectral shape:


- CALET $E^{2.7} \times \text{Flux}$ vs kinetic energy/n normalized to AMS-02:
 - similar spectral shape
 - comparable errors above 200 GeV/n

Spectral hardening:


- CALET iron data are consistent with an SPL spectrum up to 2 TeV/n. Beyond this limit, the present statistics and large systematics do not allow to draw a significant conclusion on a possible deviation from a single power law

Ultra-heavy cosmic-ray nuclei ($26 < Z \leq 40$)


Onboard trigger for UH events



A special UH CR trigger uses the CHD and first 4 layers of the IMC to achieve an expanded x 4 geometric factor $GF \sim 4400 \text{ cm}^2 \text{ sr}$



Measurement of the relative abundances of elements above Fe through $_{40}\text{Zr}$




The CALET UH element ratios relative to $_{26}\text{Fe}$ are consistent with SuperTIGER and ACE abundances.




CALET γ -ray Sky ($>1\text{GeV}$) and GRBs

- Effective area $\sim 400\text{ cm}^2$ above 2 GeV
- Angular resolution $< 0.2^\circ$ above 10 GeV
- Energy resolution $\sim 5\%$ at 10 GeV


Gamma-ray sky map LE- γ trigger ($E > 1\text{ GeV}$)



Identified bright point-sources ($E > 1\text{ GeV}$)



Exposure map for GRB 200101A (LEG) $\text{cm}^2\text{ s erg}^{-1}$



- Follow-up observations of GW events in X-ray and gamma-ray bands
- MOU with LIGO/Virgo



CGBM: dedicated Gammay-Ray Burst Monitor with energy range $7\text{ keV}-20\text{ MeV}$

from 2015/10/05 to 2021/04/08

246 GRBs (44.6 GRBs / year)


216 Long (88%) 30 Short (12%)

Space Weather Phenomena with CALET




◆ In addition to the aforementioned astrophysics goals, CALET is able to provide a **continuous monitoring of space weather phenomena affecting the near-Earth environment**, including

- ☑ solar energetic particles (SEPs) at high geomagnetic latitudes
- ☑ inner-belt protons in the South-Atlantic anomaly (SAA) region
- ☑ relativistic electron precipitation (REP) events in the inner boundary of the outer radiation belt




Solar modulation

- Since the start of observations in 2015/10, a steady increase in the 1-10 GeV all-electron flux has been observed to present
- In the past two years, the flux has reached the maximum flux observed with PAMELA during the previous solar minimum period




ISCR 2021 – MEPhi, Moscow, June 8-10, 2021



Pier Simone Marrocchesi


Main science goals and status of the analysis



- **Unravel CR acceleration and propagation**
- **Search for nearby sources and dark matter**

Scientific Objectives	Observables	Energy Reach	Explored Range	Status
Cosmic-ray origin and acceleration	Electron spectrum	1 GeV – 20 TeV	11 GeV – 4.8 TeV	published in PRL 120, 261102 (2018)
	Proton spectrum	10 GeV – 1 PeV	50 GeV – 10 TeV	published in PRL 122, 181102 (2019)
	Carbon and oxygen spectra	10 GeV – 1 PeV	10 GeV/n – 2.2 TeV/n	published in PRL 125, 251102 (2020)
	Iron spectrum	10 GeV – 1 PeV	50 GeV/n – 2 TeV/n	accepted in PRL (12 April 2021)
	Elemental spectra of primaries	10 GeV – 1 PeV	10 GeV – 1 PeV	preliminary (see ICRC 2019, 034)
	Ultra-heavy abundances	> 600 MeV/n	> 600 MeV/n	preliminary (see APS 2020 L10.00006)
Galactic CR propagation	B/C and sub-Fe/Fe ratios	Up to some TeV/n	to 3 TeV/n	preliminary (see ICRC 2019)
Nearby CR sources	Electron spectrum	100 GeV – 20 TeV	to 20 TeV	preliminary (see ICRC 2019)
Dark matter	Signatures in electron/gamma spectra	100 GeV – 20 TeV	to 20 TeV	ApJL 829:L20 (2016)
Gamma rays	Diffuse and point sources	1 GeV – 1 TeV	1 GeV – 1 TeV	ApJS 238:5 (2018)
Heliospheric physics	Solar modulation (low energy electrons)	1 GeV – 10 GeV	1 GeV – 10 GeV	see, e.g., ICRC 2019, 112
Gamma-ray transients	GW follow-up and GRB analysis	7 keV – 20 MeV	20 TeV (ECAL)	ApJL 829:L20 (2016)
Space weather	Relativistic electron precipitation	> 1.5 MeV	> 1.5 MeV	Geophys. Res. Lett., 43, 4119 (2016)

Summary and Future Prospects



- ❑ CALET was successfully launched on Aug. 19th, 2015
- ❑ **More than 5.5 years** of excellent performance and remarkable stability of the instrument
- ❑ Linearity in the energy measurements established up to 10^6 MIP [Astropart. Phys. 91, 1 – 10 (2017)]
- ❑ Continuous on-orbit calibration updates
- ❑ HE trigger operational for > 2000 days with > 85% live time fraction
- ❑ Total number of > GeV triggers **~2.7 billion**

Extended operations approved by JAXA/NASA/ASI in March 2021 through the end of 2024

STAY TUNED for the analysis updates at ICRC 2021 !

Extra Slides

Examples of observed events in CALET flight data

